



## **APPENDIX 12-6**

***PREDICTED NOISE LEVELS***

**APPENDIX 12-6 – PREDICTED NOISE LEVELS**

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H001	29.9	31.4	35.9	40.3	41.4	41.5	41.5
H002	27.6	29.2	33.6	38.0	39.2	39.2	39.2
H003	28.5	30.0	34.5	38.9	40.0	40.1	40.1
H004	27.6	29.1	33.6	38.0	39.1	39.2	39.2
H005	27.5	29.0	33.5	37.9	39.0	39.1	39.1
H006	27.7	29.2	33.7	38.1	39.2	39.3	39.3
H007	27.5	29.0	33.5	37.9	39.0	39.1	39.1
H008	27.7	29.2	33.7	38.1	39.2	39.3	39.3
H009	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H010	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H011	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H012	28.2	29.7	34.2	38.6	39.7	39.8	39.8
H013	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H014	26.7	28.2	32.7	37.1	38.2	38.3	38.3
H015	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H016	28.8	30.3	34.8	39.2	40.3	40.4	40.4
H017	28.1	29.6	34.1	38.5	39.6	39.7	39.7
H018	26.3	27.8	32.3	36.7	37.8	37.9	37.9
H019	28.6	30.1	34.6	39.0	40.1	40.2	40.2
H020	27.3	28.8	33.3	37.7	38.8	38.9	38.9
H021	28.8	30.3	34.8	39.2	40.3	40.4	40.4
H022	28.8	30.3	34.8	39.2	40.3	40.4	40.4
H023	21.6	23.2	27.6	32.0	33.2	33.2	33.2
H024	27.4	29.0	33.4	37.8	39.0	39.0	39.0
H025	28.7	30.2	34.7	39.1	40.2	40.3	40.3
H026	27.4	28.9	33.4	37.8	38.9	39.0	39.0
H027	28.9	30.4	34.9	39.3	40.4	40.5	40.5
H028	28.1	29.6	34.1	38.5	39.6	39.7	39.7
H029	25.4	26.9	31.4	35.8	36.9	37.0	37.0
H030	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H031	26.6	28.1	32.6	37.0	38.1	38.2	38.2
H032	25.9	27.4	31.9	36.3	37.4	37.5	37.5
H033	28.0	29.5	34.0	38.4	39.5	39.6	39.6
H034	20.8	22.3	26.8	31.2	32.3	32.4	32.4
H035	26.4	27.9	32.4	36.8	37.9	38.0	38.0
H036	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H037	28.2	29.7	34.2	38.6	39.7	39.8	39.8
H038	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H039	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H040	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H041	22.6	24.0	28.6	33.0	34.0	34.2	34.2
H042	25.6	27.1	31.6	36.0	37.1	37.2	37.2
H043	20.8	22.4	26.8	31.2	32.4	32.4	32.4

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H044	28.0	29.5	34.0	38.4	39.5	39.6	39.6
H045	27.0	28.5	33.0	37.4	38.5	38.6	38.6
H046	28.0	29.5	34.0	38.4	39.5	39.6	39.6
H047	27.8	29.3	33.8	38.2	39.3	39.4	39.4
H048	27.0	28.5	33.0	37.4	38.5	38.6	38.6
H049	22.4	23.9	28.4	32.8	33.9	34.0	34.0
H050	28.5	30.0	34.5	38.9	40.0	40.1	40.1
H051	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H052	28.1	29.6	34.1	38.5	39.6	39.7	39.7
H053	26.5	28.0	32.5	36.9	38.0	38.1	38.1
H054	28.2	29.7	34.2	38.6	39.7	39.8	39.8
H055	28.1	29.6	34.1	38.5	39.6	39.7	39.7
H056	23.2	24.6	29.2	33.6	34.6	34.8	34.8
H057	28.9	30.4	34.9	39.3	40.4	40.5	40.5
H058	25.8	27.3	31.8	36.2	37.3	37.4	37.4
H059	28.1	29.6	34.1	38.5	39.6	39.7	39.7
H060	30.0	31.4	36.0	40.4	41.4	41.6	41.6
H061	27.9	29.4	33.9	38.3	39.4	39.5	39.5
H062	26.8	28.3	32.8	37.2	38.3	38.4	38.4
H063	27.9	29.4	33.9	38.3	39.4	39.5	39.5
H064	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H065	27.1	28.6	33.1	37.5	38.6	38.7	38.7
H066	28.0	29.4	34.0	38.4	39.4	39.6	39.6
H067	28.3	29.8	34.3	38.7	39.8	39.9	39.9
H068	26.9	28.4	32.9	37.3	38.4	38.5	38.5
H069	27.3	28.8	33.3	37.7	38.8	38.9	38.9
H070	27.2	28.7	33.2	37.6	38.7	38.8	38.8
H071	28.4	29.9	34.4	38.8	39.9	40.0	40.0
H072	27.8	29.3	33.8	38.2	39.3	39.4	39.4
H073	27.9	29.4	33.9	38.3	39.4	39.5	39.5
H074	28.0	29.5	34.0	38.4	39.5	39.6	39.6
H075	29.2	30.7	35.2	39.6	40.7	40.8	40.8
H076	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H077	27.8	29.3	33.8	38.2	39.3	39.4	39.4
H078	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H079	28.6	30.1	34.6	39.0	40.1	40.2	40.2
H080	28.3	29.8	34.3	38.7	39.8	39.9	39.9
H081	28.6	30.1	34.6	39.0	40.1	40.2	40.2
H082	28.6	30.1	34.6	39.0	40.1	40.2	40.2
H083	28.0	29.5	34.0	38.4	39.5	39.6	39.6
H084	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H085	28.6	30.1	34.6	39.0	40.1	40.2	40.2
H086	27.8	29.2	33.8	38.2	39.2	39.4	39.4
H087	27.6	29.1	33.6	38.0	39.1	39.2	39.2
H088	27.8	29.3	33.8	38.2	39.3	39.4	39.4
H089	28.6	30.1	34.6	39.0	40.1	40.2	40.2

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H090	27.7	29.2	33.7	38.1	39.2	39.3	39.3
H091	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H092	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H093	28.8	30.3	34.8	39.2	40.3	40.4	40.4
H094	26.1	27.6	32.1	36.5	37.6	37.7	37.7
H095	26.6	28.1	32.6	37.0	38.1	38.2	38.2
H096	21.6	23.2	27.6	32.0	33.2	33.2	33.2
H097	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H098	26.4	27.9	32.4	36.8	37.9	38.0	38.0
H099	26.8	28.2	32.8	37.2	38.2	38.4	38.4
H101	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H102	27.1	28.6	33.1	37.5	38.6	38.7	38.7
H103	22.0	23.5	28.0	32.4	33.5	33.6	33.6
H104	29.2	30.6	35.2	39.6	40.6	40.8	40.8
H105	28.5	30.0	34.5	38.9	40.0	40.1	40.1
H106	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H107	25.5	27.0	31.5	35.9	37.0	37.1	37.1
H108	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H109	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H110	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H111	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H112	27.9	29.4	33.9	38.3	39.4	39.5	39.5
H113	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H114	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H115	28.2	29.7	34.2	38.6	39.7	39.8	39.8
H116	26.6	28.1	32.6	37.0	38.1	38.2	38.2
H117	28.0	29.4	34.0	38.4	39.4	39.6	39.6
H118	24.8	26.3	30.8	35.2	36.3	36.4	36.4
H119	24.9	26.4	30.9	35.3	36.4	36.5	36.5
H120	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H121	24.8	26.3	30.8	35.2	36.3	36.4	36.4
H122	22.0	23.5	28.0	32.4	33.5	33.6	33.6
H123	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H124	24.8	26.2	30.8	35.2	36.2	36.4	36.4
H125	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H126	27.6	29.1	33.6	38.0	39.1	39.2	39.2
H127	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H128	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H129	24.9	26.4	30.9	35.3	36.4	36.5	36.5
H130	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H131	24.2	25.7	30.2	34.6	35.7	35.8	35.8
H132	24.1	25.6	30.1	34.5	35.6	35.7	35.7
H134	24.2	25.7	30.2	34.6	35.7	35.8	35.8
H135	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H136	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H137	26.0	27.4	32.0	36.4	37.4	37.6	37.6

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H138	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H139	23.8	25.4	29.8	34.2	35.4	35.4	35.4
H140	23.8	25.3	29.8	34.2	35.3	35.4	35.4
H141	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H142	23.8	25.3	29.8	34.2	35.3	35.4	35.4
H143	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H144	23.8	25.3	29.8	34.2	35.3	35.4	35.4
H145	25.0	26.5	31.0	35.4	36.5	36.6	36.6
H146	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H147	23.7	25.2	29.7	34.1	35.2	35.3	35.3
H148	23.8	25.3	29.8	34.2	35.3	35.4	35.4
H149	26.9	28.4	32.9	37.3	38.4	38.5	38.5
H150	23.7	25.2	29.7	34.1	35.2	35.3	35.3
H151	23.7	25.2	29.7	34.1	35.2	35.3	35.3
H152	23.8	25.3	29.8	34.2	35.3	35.4	35.4
H153	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H154	24.8	26.3	30.8	35.2	36.3	36.4	36.4
H155	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H156	23.5	25.0	29.5	33.9	35.0	35.1	35.1
H157	23.6	25.1	29.6	34.0	35.1	35.2	35.2
H158	23.6	25.1	29.6	34.0	35.1	35.2	35.2
H159	25.2	26.7	31.2	35.6	36.7	36.8	36.8
H160	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H161	23.6	25.0	29.6	34.0	35.0	35.2	35.2
H162	21.8	23.2	27.8	32.2	33.2	33.4	33.4
H163	23.4	24.9	29.4	33.8	34.9	35.0	35.0
H164	26.3	27.8	32.3	36.7	37.8	37.9	37.9
H165	23.4	24.9	29.4	33.8	34.9	35.0	35.0
H166	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H167	23.3	24.8	29.3	33.7	34.8	34.9	34.9
H168	23.5	25.0	29.5	33.9	35.0	35.1	35.1
H169	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H170	25.0	26.5	31.0	35.4	36.5	36.6	36.6
H171	23.2	24.7	29.2	33.6	34.7	34.8	34.8
H172	23.4	24.9	29.4	33.8	34.9	35.0	35.0
H173	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H174	26.6	28.1	32.6	37.0	38.1	38.2	38.2
H175	24.8	26.3	30.8	35.2	36.3	36.4	36.4
H176	24.8	26.3	30.8	35.2	36.3	36.4	36.4
H177	23.0	24.5	29.0	33.4	34.5	34.6	34.6
H178	23.0	24.5	29.0	33.4	34.5	34.6	34.6
H179	24.5	26.0	30.5	34.9	36.0	36.1	36.1
H180	24.5	26.0	30.5	34.9	36.0	36.1	36.1
H181	24.6	26.1	30.6	35.0	36.1	36.2	36.2
H182	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H183	24.7	26.2	30.7	35.1	36.2	36.3	36.3

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H184	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H185	24.6	26.1	30.6	35.0	36.1	36.2	36.2
H186	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H187	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H188	23.2	24.7	29.2	33.6	34.7	34.8	34.8
H189	23.0	24.5	29.0	33.4	34.5	34.6	34.6
H190	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H191	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H192	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H193	22.8	24.4	28.8	33.2	34.4	34.4	34.4
H194	22.9	24.4	28.9	33.3	34.4	34.5	34.5
H195	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H196	23.1	24.6	29.1	33.5	34.6	34.7	34.7
H197	22.8	24.2	28.8	33.2	34.2	34.4	34.4
H198	24.4	25.9	30.4	34.8	35.9	36.0	36.0
H199	24.4	25.9	30.4	34.8	35.9	36.0	36.0
H200	22.9	24.4	28.9	33.3	34.4	34.5	34.5
H201	23.4	24.9	29.4	33.8	34.9	35.0	35.0
H202	23.4	25.0	29.4	33.8	35.0	35.0	35.0
H203	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H204	23.3	24.8	29.3	33.7	34.8	34.9	34.9
H205	24.4	25.9	30.4	34.8	35.9	36.0	36.0
H206	24.7	26.2	30.7	35.1	36.2	36.3	36.3
H207	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H208	22.0	23.6	28.0	32.4	33.6	33.6	33.6
H209	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H210	24.4	25.9	30.4	34.8	35.9	36.0	36.0
H211	18.6	20.1	24.6	29.0	30.1	30.2	30.2
H212	22.4	23.9	28.4	32.8	33.9	34.0	34.0
H213	24.1	25.6	30.1	34.5	35.6	35.7	35.7
H214	24.1	25.6	30.1	34.5	35.6	35.7	35.7
H215	22.4	24.0	28.4	32.8	34.0	34.0	34.0
H216	22.3	23.8	28.3	32.7	33.8	33.9	33.9
H217	25.0	26.5	31.0	35.4	36.5	36.6	36.6
H218	23.7	25.2	29.7	34.1	35.2	35.3	35.3
H219	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H220	23.7	25.2	29.7	34.1	35.2	35.3	35.3
H221	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H222	23.6	25.0	29.6	34.0	35.0	35.2	35.2
H223	22.3	23.8	28.3	32.7	33.8	33.9	33.9
H224	24.9	26.4	30.9	35.3	36.4	36.5	36.5
H225	24.2	25.7	30.2	34.6	35.7	35.8	35.8
H226	24.3	25.8	30.3	34.7	35.8	35.9	35.9
H227	23.4	25.0	29.4	33.8	35.0	35.0	35.0
H228	24.0	25.5	30.0	34.4	35.5	35.6	35.6
H229	20.3	21.8	26.3	30.7	31.8	31.9	31.9

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H230	22.6	24.1	28.6	33.0	34.1	34.2	34.2
H232	22.6	24.1	28.6	33.0	34.1	34.2	34.2
H233	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H234	24.5	26.0	30.5	34.9	36.0	36.1	36.1
H235	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H236	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H237	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H238	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H239	24.0	25.5	30.0	34.4	35.5	35.6	35.6
H240	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H241	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H242	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H243	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H244	20.6	22.0	26.6	31.0	32.0	32.2	32.2
H245	22.0	23.5	28.0	32.4	33.5	33.6	33.6
H246	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H247	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H248	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H249	23.5	25.0	29.5	33.9	35.0	35.1	35.1
H250	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H251	22.2	23.7	28.2	32.6	33.7	33.8	33.8
H252	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H253	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H254	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H255	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H256	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H257	22.1	23.6	28.1	32.5	33.6	33.7	33.7
H258	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H259	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H260	21.9	23.4	27.9	32.3	33.4	33.5	33.5
H261	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H262	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H263	23.2	24.7	29.2	33.6	34.7	34.8	34.8
H264	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H265	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H266	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H267	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H268	23.1	24.6	29.1	33.5	34.6	34.7	34.7
H269	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H270	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H271	21.9	23.4	27.9	32.3	33.4	33.5	33.5
H272	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H273	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H274	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H275	19.6	21.0	25.6	30.0	31.0	31.2	31.2
H276	21.6	23.1	27.6	32.0	33.1	33.2	33.2

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H277	21.9	23.4	27.9	32.3	33.4	33.5	33.5
H278	20.9	22.4	26.9	31.3	32.4	32.5	32.5
H279	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H280	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H281	20.8	22.3	26.8	31.2	32.3	32.4	32.4
H282	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H283	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H284	19.3	20.8	25.3	29.7	30.8	30.9	30.9
H285	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H286	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H287	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H288	21.9	23.4	27.9	32.3	33.4	33.5	33.5
H289	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H290	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H291	22.1	23.6	28.1	32.5	33.6	33.7	33.7
H292	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H293	18.6	20.1	24.6	29.0	30.1	30.2	30.2
H294	21.8	23.2	27.8	32.2	33.2	33.4	33.4
H295	18.6	20.1	24.6	29.0	30.1	30.2	30.2
H296	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H297	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H298	20.0	21.4	26.0	30.4	31.4	31.6	31.6
H299	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H300	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H301	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H302	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H303	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H304	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H305	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H306	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H307	16.3	17.8	22.3	26.7	27.8	27.9	27.9
H308	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H309	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H310	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H311	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H312	22.5	24.0	28.5	32.9	34.0	34.1	34.1
H313	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H314	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H315	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H316	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H317	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H318	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H319	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H320	18.2	19.7	24.2	28.6	29.7	29.8	29.8
H321	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H322	18.4	20.0	24.4	28.8	30.0	30.0	30.0



Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H323	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H324	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H325	20.9	22.4	26.9	31.3	32.4	32.5	32.5
H326	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H327	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H328	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H329	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H330	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H331	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H332	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H333	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H334	16.1	17.6	22.1	26.5	27.6	27.7	27.7
H335	18.2	19.8	24.2	28.6	29.8	29.8	29.8
H336	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H337	21.6	23.0	27.6	32.0	33.0	33.2	33.2
H338	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H339	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H340	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H341	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H342	21.7	23.2	27.7	32.1	33.2	33.3	33.3
H343	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H344	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H345	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H346	18.2	19.7	24.2	28.6	29.7	29.8	29.8
H347	21.6	23.0	27.6	32.0	33.0	33.2	33.2
H348	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H349	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H350	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H351	21.8	23.3	27.8	32.2	33.3	33.4	33.4
H352	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H353	21.3	22.8	27.3	31.7	32.8	32.9	32.9
H354	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H355	21.2	22.8	27.2	31.6	32.8	32.8	32.8
H356	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H357	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H358	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H359	19.4	20.8	25.4	29.8	30.8	31.0	31.0
H360	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H361	19.3	20.8	25.3	29.7	30.8	30.9	30.9
H362	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H363	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H364	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H365	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H366	19.3	20.8	25.3	29.7	30.8	30.9	30.9
H367	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H368	21.0	22.5	27.0	31.4	32.5	32.6	32.6

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H369	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H370	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H371	21.6	23.1	27.6	32.0	33.1	33.2	33.2
H372	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H373	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H374	21.0	22.6	27.0	31.4	32.6	32.6	32.6
H375	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H376	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H377	20.9	22.4	26.9	31.3	32.4	32.5	32.5
H378	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H379	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H380	21.0	22.5	27.0	31.4	32.5	32.6	32.6
H381	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H382	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H383	21.2	22.7	27.2	31.6	32.7	32.8	32.8
H384	21.5	23.0	27.5	31.9	33.0	33.1	33.1
H385	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H386	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H387	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H388	20.8	22.3	26.8	31.2	32.3	32.4	32.4
H389	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H390	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H391	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H392	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H393	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H394	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H395	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H396	21.1	22.6	27.1	31.5	32.6	32.7	32.7
H397	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H398	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H399	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H400	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H401	15.6	17.0	21.6	26.0	27.0	27.2	27.2
H402	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H403	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H404	20.9	22.4	26.9	31.3	32.4	32.5	32.5
H405	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H406	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H407	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H408	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H409	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H410	16.6	18.2	22.6	27.0	28.2	28.2	28.2
H411	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H412	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H413	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H414	20.8	22.3	26.8	31.2	32.3	32.4	32.4

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H415	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H416	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H417	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H418	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H419	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H420	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H421	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H422	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H423	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H424	19.3	20.8	25.3	29.7	30.8	30.9	30.9
H425	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H426	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H427	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H428	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H429	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H430	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H431	21.4	22.9	27.4	31.8	32.9	33.0	33.0
H432	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H433	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H434	20.8	22.2	26.8	31.2	32.2	32.4	32.4
H435	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H436	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H437	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H438	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H439	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H440	20.2	21.6	26.2	30.6	31.6	31.8	31.8
H441	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H442	19.3	20.8	25.3	29.7	30.8	30.9	30.9
H443	20.8	22.3	26.8	31.2	32.3	32.4	32.4
H444	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H445	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H446	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H447	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H448	20.7	22.2	26.7	31.1	32.2	32.3	32.3
H449	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H450	19.6	21.0	25.6	30.0	31.0	31.2	31.2
H451	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H452	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H453	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H454	20.4	22.0	26.4	30.8	32.0	32.0	32.0
H455	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H456	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H457	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H458	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H459	20.6	22.0	26.6	31.0	32.0	32.2	32.2
H460	20.6	22.0	26.6	31.0	32.0	32.2	32.2

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H461	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H462	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H463	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H464	15.3	16.8	21.3	25.7	26.8	26.9	26.9
H465	16.5	18.0	22.5	26.9	28.0	28.1	28.1
H466	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H467	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H468	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H469	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H470	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H471	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H472	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H473	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H474	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H475	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H476	20.2	21.6	26.2	30.6	31.6	31.8	31.8
H477	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H478	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H479	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H480	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H481	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H482	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H483	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H484	20.4	21.8	26.4	30.8	31.8	32.0	32.0
H485	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H486	18.2	19.7	24.2	28.6	29.7	29.8	29.8
H487	20.4	21.9	26.4	30.8	31.9	32.0	32.0
H488	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H489	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H490	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H491	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H492	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H493	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H494	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H495	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H496	20.1	21.6	26.1	30.5	31.6	31.7	31.7
H497	15.3	16.8	21.3	25.7	26.8	26.9	26.9
H498	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H499	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H500	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H501	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H502	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H503	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H504	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H505	19.8	21.2	25.8	30.2	31.2	31.4	31.4
H506	19.6	21.1	25.6	30.0	31.1	31.2	31.2

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H507	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H508	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H509	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H510	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H511	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H512	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H513	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H514	20.2	21.7	26.2	30.6	31.7	31.8	31.8
H515	20.9	22.4	26.9	31.3	32.4	32.5	32.5
H516	22.1	23.6	28.1	32.5	33.6	33.7	33.7
H517	21.9	23.4	27.9	32.3	33.4	33.5	33.5
H518	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H519	23.9	25.4	29.9	34.3	35.4	35.5	35.5
H520	27.9	29.4	33.9	38.3	39.4	39.5	39.5
H531	23.1	24.6	29.1	33.5	34.6	34.7	34.7
H536	22.1	23.6	28.1	32.5	33.6	33.7	33.7
H537	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H538	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H539	19.4	20.8	25.4	29.8	30.8	31.0	31.0
H540	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H541	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H542	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H543	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H544	18.6	20.1	24.6	29.0	30.1	30.2	30.2
H545	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H546	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H547	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H548	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H549	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H550	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H551	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H552	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H553	20.3	21.8	26.3	30.7	31.8	31.9	31.9
H554	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H555	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H556	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H557	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H558	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H559	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H560	20.5	22.0	26.5	30.9	32.0	32.1	32.1
H561	20.6	22.1	26.6	31.0	32.1	32.2	32.2
H562	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H563	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H564	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H565	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H566	20.0	21.5	26.0	30.4	31.5	31.6	31.6

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H567	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H568	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H569	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H570	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H571	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H572	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H573	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H574	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H575	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H576	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H577	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H578	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H579	18.6	20.1	24.6	29.0	30.1	30.2	30.2
H580	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H581	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H582	18.9	20.4	24.9	29.3	30.4	30.5	30.5
H583	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H584	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H585	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H586	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H587	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H588	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H589	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H590	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H591	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H592	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H593	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H594	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H595	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H596	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H597	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H598	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H599	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H600	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H601	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H602	20.2	21.8	26.2	30.6	31.8	31.8	31.8
H603	16.8	18.4	22.8	27.2	28.4	28.4	28.4
H604	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H605	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H606	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H607	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H608	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H609	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H610	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H611	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H612	17.1	18.6	23.1	27.5	28.6	28.7	28.7

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H613	17.2	18.8	23.2	27.6	28.8	28.8	28.8
H614	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H615	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H616	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H617	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H618	18.3	19.8	24.3	28.7	29.8	29.9	29.9
H619	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H620	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H621	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H622	16.8	18.4	22.8	27.2	28.4	28.4	28.4
H623	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H624	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H625	20.0	21.5	26.0	30.4	31.5	31.6	31.6
H626	15.8	17.3	21.8	26.2	27.3	27.4	27.4
H627	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H628	18.2	19.7	24.2	28.6	29.7	29.8	29.8
H629	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H630	15.7	17.2	21.7	26.1	27.2	27.3	27.3
H631	16.2	17.8	22.2	26.6	27.8	27.8	27.8
H632	19.9	21.4	25.9	30.3	31.4	31.5	31.5
H633	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H634	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H635	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H636	19.8	21.3	25.8	30.2	31.3	31.4	31.4
H637	15.6	17.1	21.6	26.0	27.1	27.2	27.2
H638	16.1	17.6	22.1	26.5	27.6	27.7	27.7
H639	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H640	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H641	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H642	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H643	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H644	19.7	21.2	25.7	30.1	31.2	31.3	31.3
H645	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H646	16.0	17.5	22.0	26.4	27.5	27.6	27.6
H647	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H648	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H649	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H650	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H651	18.6	20.0	24.6	29.0	30.0	30.2	30.2
H652	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H653	19.6	21.0	25.6	30.0	31.0	31.2	31.2
H654	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H655	19.6	21.1	25.6	30.0	31.1	31.2	31.2
H656	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H657	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H658	17.7	19.2	23.7	28.1	29.2	29.3	29.3

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H659	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H660	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H661	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H662	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H663	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H664	15.8	17.3	21.8	26.2	27.3	27.4	27.4
H665	19.5	21.0	25.5	29.9	31.0	31.1	31.1
H666	19.4	20.9	25.4	29.8	30.9	31.0	31.0
H667	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H668	18.2	19.7	24.2	28.6	29.7	29.8	29.8
H669	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H670	18.4	19.8	24.4	28.8	29.8	30.0	30.0
H671	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H672	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H673	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H674	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H675	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H676	19.4	20.8	25.4	29.8	30.8	31.0	31.0
H677	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H678	17.9	19.4	23.9	28.3	29.4	29.5	29.5
H679	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H680	17.6	19.2	23.6	28.0	29.2	29.2	29.2
H681	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H682	15.8	17.3	21.8	26.2	27.3	27.4	27.4
H683	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H684	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H685	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H686	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H687	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H688	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H689	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H690	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H691	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H692	16.6	18.1	22.6	27.0	28.1	28.2	28.2
H693	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H694	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H695	17.7	19.2	23.7	28.1	29.2	29.3	29.3
H696	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H697	16.2	17.7	22.2	26.6	27.7	27.8	27.8
H698	18.0	19.5	24.0	28.4	29.5	29.6	29.6
H699	16.2	17.7	22.2	26.6	27.7	27.8	27.8
H700	15.6	17.1	21.6	26.0	27.1	27.2	27.2
H701	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H702	15.7	17.2	21.7	26.1	27.2	27.3	27.3
H703	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H704	15.7	17.2	21.7	26.1	27.2	27.3	27.3



Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H705	15.6	17.1	21.6	26.0	27.1	27.2	27.2
H706	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H707	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H708	15.7	17.2	21.7	26.1	27.2	27.3	27.3
H709	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H710	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H711	15.3	16.8	21.3	25.7	26.8	26.9	26.9
H712	19.2	20.7	25.2	29.6	30.7	30.8	30.8
H713	15.2	16.6	21.2	25.6	26.6	26.8	26.8
H714	16.1	17.6	22.1	26.5	27.6	27.7	27.7
H715	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H716	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H717	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H718	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H719	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H720	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H721	19.1	20.6	25.1	29.5	30.6	30.7	30.7
H722	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H723	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H724	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H725	19.0	20.5	25.0	29.4	30.5	30.6	30.6
H726	16.5	18.0	22.5	26.9	28.0	28.1	28.1
H727	16.0	17.5	22.0	26.4	27.5	27.6	27.6
H728	16.3	17.8	22.3	26.7	27.8	27.9	27.9
H729	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H730	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H731	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H732	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H733	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H734	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H735	18.8	20.3	24.8	29.2	30.3	30.4	30.4
H736	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H737	17.6	19.0	23.6	28.0	29.0	29.2	29.2
H738	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H739	15.2	16.7	21.2	25.6	26.7	26.8	26.8
H740	16.2	17.7	22.2	26.6	27.7	27.8	27.8
H741	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H742	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H743	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H744	17.0	18.4	23.0	27.4	28.4	28.6	28.6
H745	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H746	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H747	17.6	19.1	23.6	28.0	29.1	29.2	29.2
H748	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H749	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H750	14.9	16.4	20.9	25.3	26.4	26.5	26.5

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H751	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H752	15.5	17.0	21.5	25.9	27.0	27.1	27.1
H753	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H754	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H755	18.7	20.2	24.7	29.1	30.2	30.3	30.3
H756	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H757	15.0	16.6	21.0	25.4	26.6	26.6	26.6
H758	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H759	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H760	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H761	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H762	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H763	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H764	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H765	15.5	17.0	21.5	25.9	27.0	27.1	27.1
H766	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H767	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H768	18.5	20.0	24.5	28.9	30.0	30.1	30.1
H769	15.1	16.6	21.1	25.5	26.6	26.7	26.7
H770	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H771	17.0	18.4	23.0	27.4	28.4	28.6	28.6
H772	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H773	16.0	17.4	22.0	26.4	27.4	27.6	27.6
H774	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H775	16.6	18.1	22.6	27.0	28.1	28.2	28.2
H776	17.5	19.0	23.5	27.9	29.0	29.1	29.1
H777	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H778	17.4	18.8	23.4	27.8	28.8	29.0	29.0
H779	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H780	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H781	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H782	17.4	18.9	23.4	27.8	28.9	29.0	29.0
H783	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H784	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H785	15.0	16.5	21.0	25.4	26.5	26.6	26.6
H786	18.4	19.9	24.4	28.8	29.9	30.0	30.0
H787	16.6	18.1	22.6	27.0	28.1	28.2	28.2
H788	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H789	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H790	14.6	16.1	20.6	25.0	26.1	26.2	26.2
H791	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H792	14.7	16.2	20.7	25.1	26.2	26.3	26.3
H793	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H794	16.3	17.8	22.3	26.7	27.8	27.9	27.9
H795	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H796	17.0	18.5	23.0	27.4	28.5	28.6	28.6

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H797	16.3	17.8	22.3	26.7	27.8	27.9	27.9
H798	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H799	17.0	18.5	23.0	27.4	28.5	28.6	28.6
H800	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H801	14.5	16.0	20.5	24.9	26.0	26.1	26.1
H802	16.4	17.9	22.4	26.8	27.9	28.0	28.0
H803	17.3	18.8	23.3	27.7	28.8	28.9	28.9
H804	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H805	15.9	17.4	21.9	26.3	27.4	27.5	27.5
H806	18.4	19.8	24.4	28.8	29.8	30.0	30.0
H807	14.8	16.3	20.8	25.2	26.3	26.4	26.4
H808	14.6	16.1	20.6	25.0	26.1	26.2	26.2
H809	17.2	18.7	23.2	27.6	28.7	28.8	28.8
H810	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H811	14.4	15.9	20.4	24.8	25.9	26.0	26.0
H812	17.1	18.6	23.1	27.5	28.6	28.7	28.7
H813	14.9	16.4	20.9	25.3	26.4	26.5	26.5
H814	14.7	16.2	20.7	25.1	26.2	26.3	26.3
H815	18.2	19.6	24.2	28.6	29.6	29.8	29.8
H816	14.1	15.6	20.1	24.5	25.6	25.7	25.7
H817	15.3	16.8	21.3	25.7	26.8	26.9	26.9
H818	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H819	14.7	16.2	20.7	25.1	26.2	26.3	26.3
H820	16.2	17.7	22.2	26.6	27.7	27.8	27.8
H821	18.1	19.6	24.1	28.5	29.6	29.7	29.7
H822	14.6	16.1	20.6	25.0	26.1	26.2	26.2
H823	17.8	19.3	23.8	28.2	29.3	29.4	29.4
H824	16.0	17.5	22.0	26.4	27.5	27.6	27.6
H825	14.1	15.6	20.1	24.5	25.6	25.7	25.7
H826	16.1	17.6	22.1	26.5	27.6	27.7	27.7
H827	14.0	15.5	20.0	24.4	25.5	25.6	25.6
H828	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H829	14.7	16.2	20.7	25.1	26.2	26.3	26.3
H830	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H831	17.8	19.2	23.8	28.2	29.2	29.4	29.4
H832	14.0	15.5	20.0	24.4	25.5	25.6	25.6
H833	15.6	17.1	21.6	26.0	27.1	27.2	27.2
H834	16.0	17.5	22.0	26.4	27.5	27.6	27.6
H835	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H836	14.3	15.8	20.3	24.7	25.8	25.9	25.9
H837	15.7	17.2	21.7	26.1	27.2	27.3	27.3
H838	15.6	17.1	21.6	26.0	27.1	27.2	27.2
H839	14.6	16.1	20.6	25.0	26.1	26.2	26.2
H840	13.9	15.4	19.9	24.3	25.4	25.5	25.5
H841	16.0	17.5	22.0	26.4	27.5	27.6	27.6
H842	16.7	18.2	22.7	27.1	28.2	28.3	28.3

Location	Predicted Noise Level dB L <sub>A90</sub> at Standardised Wind Speed at 10m A.G.L.						
	3	4	5	6	7	8	9
H843	14.0	15.5	20.0	24.4	25.5	25.6	25.6
H844	16.7	18.2	22.7	27.1	28.2	28.3	28.3
H845	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H846	14.3	15.8	20.3	24.7	25.8	25.9	25.9
H847	16.9	18.4	22.9	27.3	28.4	28.5	28.5
H848	16.8	18.3	22.8	27.2	28.3	28.4	28.4
H849	13.9	15.4	19.9	24.3	25.4	25.5	25.5
H850	14.5	16.0	20.5	24.9	26.0	26.1	26.1
H851	17.0	18.5	23.0	27.4	28.5	28.6	28.6